


NEW PRODUCTS 2017




©Sam Bie



Access  
the  
Inaccessible®




TRAC PLUS  
TRAC



VERTIGO WL PARK

## TRAC PLUS

Drop-proof pulley for long Tyrolean traverses



## TRAC PLUS

▶ Ease of use:

- drop-proof unit thanks to the attached VERTIGO WL PARK carabiner,
- two in-line sheaves ensure good stability,
- front and rear fairings limit the risk of pinched fingers



## TRAC PLUS

### ▶ Specific construction for intensive use:

- maximum life-time thanks to the latest bearing technologies,
- VERTIGO WL PARK carabiner has a reinforced construction and hard anodising for better durability in wet and salty environments,
- two supports for the progression carabiners allow them to be protected from cable wear,
- joining piece distributes contact points between the carabiner and the pulley to increase the longevity of the carabiner



## TRAC PLUS

### ► Easier life for maintenance :

- optimised shape, clip-on and screwable cover for installing the TRAC PLUS pulley on the JOKO-I pulley lanyard,
- identification with Datamatrix code for quick inspection of product, protected laser marking on the carabiner frame,
- delivered ready to assemble,
- sold in packs of 10, or individually





## TRAC PLUS

Drop-proof pulley for long Tyrolean traverses

- ▶ Ease of use
- ▶ Specific construction for intensive use
- ▶ Easier life for maintenance



- ▶ Material(s): aluminium, stainless steel, polyamid
- ▶ Certification(s): CE, EAC
- ▶ Weight : 405g
- ▶ Refs: P024AA00 / P024BA00

## TRAC

Drop-proof pulley for Tyrolean traverses





## TRAC

### ▶ Ease of use:

- drop-proof unit thanks to the attached VERTIGO WL carabiner,
- two in-line sheaves ensure good stability,
- front and rear fairings limit the risk of pinched fingers



## TRAC

### ▶ Durable construction:

- Specific single-row ball bearings of the TRAC pulley ensure longer life than classic bearings,
- proven durability carabiner with easy to use WIRE-LOCK locking system,
- two supports for the progression carabiners allow them to be protected from cable wear,
- joining piece distributes contact points between the carabiner and the pulley to increase the longevity of the carabiner



## TRAC

### ▶ Easier life for maintenance :

- Optimised shape, clip-on and screwable cover for installing the TRAC pulley on the JOKO-I pulley lanyard,
- identification with Datamatrix code for quick inspection of product, protected laser marking on the carabiner frame,
- delivered ready to assembly,
- sold in packs of 10, or individually



## TRAC

Drop-proof pulley for Tyrolean traverses

- ▶ Ease of use
- ▶ Durable construction
- ▶ Easier life for maintenance

- ▶ Material(s): aluminium, stainless steel, polyamid
- ▶ Certification(s): CE, EAC
- ▶ Weight : 400g
- ▶ Refs: P023AA00 / P023BA00



## VERTIGO WL PARK

Reinforced construction double action carabiner



## VERTIGO WL PARK

### ▶ Ease of use:

- facilitates manipulations when passing intermediate anchors
- ergonomic shape for excellent handling
- WIRE-LOCK automatic locking system is easy to use
- Keylock system to avoid any involuntary snagging of the carabiner



## VERTIGO WL PARK

- ▶ Specific construction for intensive use:
  - reinforced Keylock construction to prevent wear due to vibration
  - WIRE-LOCK optimizes the number of opening and closing cycles of the gate and increases longevity
  - the hard anodising protects the carabiner from wet and salty environments





## VERTIGO WL PARK

- ▶ Easier life for maintenance :
- identification with Datamatrix code for quick inspection of product, protected laser marking on the carabiner frame,
- compatible with TRAC/TRAC PLUS/JOKO
- sold in packs of 10, or individually



## VERTIGO WL PARK

Reinforced construction double action carabiner

- ▶ Ease of use
- ▶ Specific construction for intensive use
- ▶ Easier life for maintenance

Vertigo WL PARK is dedicated to intensive use

Vertigo WL stays in the range for classic use



- ▶ Material(s): aluminium, stainless steel, polyamid
- ▶ Certification(s): CE EN 12275 types K/B, UIAA
- ▶ Weight : 95g
- ▶ Refs: M040AA00 (by 1) / M040BA00 (by 10)