


<b>Universe</b>	Operators
<b>Type</b>	Verticality
<b>Category</b>	Pulleys
<b>Subcategory</b>	Adventure park pulleys




## TRAC GUIDE

TRAC GUIDE is a trolley designed for adventure parks. Featuring an ergonomic captive carabiner, it allows the guide to quickly install the trolley on the cable with one hand. Because the carabiner pivots, the trolley remains in position on the cable when it makes contact with the end brake of the zip line. The ends are equipped with protective impact surfaces to reduce the risk of pinched fingers, and with two connector support grooves to avoid abrasion by the cable. The JOKO and AVENTEX lanyards are directly integrated in the carabiner, so the unit cannot be separated or lost. The carabiner's reinforced construction provides greater resistance to damp and salty environments. Product life is extended thanks to extremely durable bearings and removable impact surfaces available as spare parts.



The ergonomic captive carabiner allows the guide to quickly install the trolley on the cable with one hand.



Because the the system allows the carabiner to pivot, the trolley remains in position on the cable when it makes contact with the end brake of the zip line.



Two positioning support grooves for the connectors limit abrasion by the cable.



The trolley connects easily to the harness, thanks to the CARITRAC stowage accessory

---

**Short Description** Trolley with optimal durability for adventure parks

---

**Selling Points**

- Trolley designed for adventure parks:
  - ergonomic captive carabiner allows the guide to quickly install the trolley on the cable with one hand
  - two aligned sheaves guarantee excellent stability on the zip line
  - because the carabiner can pivot, the trolley remains in position on the cable when it makes contact with the end brake of the zip line
  - front and rear impact surfaces limit the risk of pinched fingers
  - two positioning support grooves for the connectors limit abrasion by the cable
  - JOKO or AVENTEX lanyards are directly integrated in the carabiner, so the trolley/lanyard unit cannot be separated or lost
  - easy connection to the harness, thanks to the CARITRAC stowage accessory
- Optimal durability for easy maintenance and extended product life:
  - double-row ball-bearings offer optimal durability
  - carabiner with reinforced construction and hard anodization for greater resistance to damp and salty environments
  - impact surfaces optimize contact between the trolley and the end brake of the zip line
  - carabiner and impact surfaces are completely removable and available as replacement parts to extend the life of the trolley
- Available individually or in pack of five

---

**Specification**

- Cable diameter: 9 to 13 mm (may also be used on ropes)
  - Weight per unit: 425g
  - Material(s): aluminum frame and carabiner, stainless steel sheave, nylon
  - Certification(s): CE EN 17109, CE EN 12278, UIAA
  - Maximum speed: 25 m/s
  - Recommended zip line length: up to xxx m
-

**Specifications by reference**

Reference(s)	P024AB00	P024AB01
	sold individually	sold by pack of 5
Made in	FR	FR
Guarantee	3 years	3 years
Inner pack count	1	1
Case quantity	8	1
EAN	3342540837140	3342540837157

---

**Spare part(s)**      Impact surfaces for TRAC trolleys  
Carabiner for TRAC GUIDE trolley

---

**Accessory(ies)**      CARITRAC